

Amendments to the claims (this listing replaces all prior versions):

1. (Currently amended) A machine-based method comprising
providing a graphical user interface that enables a user of a model generation tool to view
and manage subgroups of variables contributory and non-contributory variables associated with
generation of a predictive model including source variables associated with attributes of the
original data and derived variables subsequently modified from the source variables.
2. (Original) The method of claim 1 in which the derived variables include
constructed variables, and transformed variables.
3. (Original) The method of claim 1 also including
enabling the user to move variables between subgroups using a pointer.
4. (Original) The method of claim 1 in which the user interface enables a user to
view, with respect to a selected variable, its definition and its response distribution relative to an
outcome variable.
5. (Original) The method of claim 1 in which only variables within one of the
subgroups are used in the model that is generated.
6. (Original) The method of claim 1 in which the subgroup to which each variable
belongs is stored persistently.
7. (Currently amended) A machine-based method comprising
in connection with a project in which a user generates a predictive model based on
historical data about a system being modeled, enabling the user through a graphical user
interface to manage and view information about distributions and interactions based on strengths
of measurement of predictor variables associated with the data.

8. (Original) The method of claim 7 in which the information includes a status of a predictor variable.

9. (Original) The method of claim 7 in which the information includes a status of a class of non-predictor variables.

10. (Original) The method of claim 7 in which the user interface enables the user to point and click to cause display of information about the variable.

11. (Original) The method of claim 10 in which the information about the variable comprises at least one of: a description, a definition, a history of transformations, a response graph, and a link to the graph.

12. (Original) The method of claim 11 in which invocation of the link to the graph causes display of the probability of an event as a function of the variable.

13. (Original) The method of claim 7 also including enabling the user to cause a variable to be transformed, and including the transformed version of the variable in the information about predictor variables.

14. (Original) The method of claim 7 in which the predictor variables are grouped in the user interface, and also including enabling the user to move one or more than one variable from one group to another.

15. (Original) The method of claim 7 in which the graphical user interface represents filtered views of a data dictionary of an entire set of variables of the model.

16. (Original) The method of claim 7 in which the user interface enables the user to point and click to cause display of decision partition trees of the collection of predictor variables.

17. (Original) The method of claim 7 in which the user interface enables the user to point and click to cause display of response distribution functions of the collection of predictor values.